

# INSTRUCTION MANUAL

## **ZR-96 DNA Clean & Concentrator-5™**

Catalog Nos. D4023 & D4024

### **Highlights**

- Quick (15 minute), large-scale recovery of ultra-pure DNA from PCR, endonuclease digestions, cell lysates, etc.
- **Zymo-Spin I-96 Plate™** design allows DNA to be eluted at high concentrations into minimal volumes of water.
- Eluted DNA is well suited for use in PCR, DNA sequencing, DNA ligation, endonuclease digestion, RNA transcription, radiolabeling, etc.
- Omits the use of organic denaturants as well as proteinases.

#### **Contents**

Product Contents & Specifications	1
Product Description	2
Reagent Preparation	2
Protocol	3
Ordering Information	4
List of Products	5

For Laboratory Use Only

Toll Free: 1-888-882-9682 • Fax: 1-714-288-9643 • Web: www.zymoresearch.com • E-mail: info@zymoresearch.com

#### **Product Contents**

ZR-96 DNA Clean & Concentrator-5™ (Kit Size)	<b>D4023</b> (2 96-well plates)	<b>D4024</b> (4 96-well plates)	Storage Temperature
DNA Binding Buffer	100 ml	2x100 ml	Room Temp.
DNA Wash Buffer*	24 ml	48 ml	Room Temp.
Zymo-Spin I-96 Plate™	2	4	Room Temp.
Collection Plate	2	4	Room Temp.
Elution Plate	2	4	Room Temp.
Instruction Manual	1	1	-

**Note:** Satisfaction of all Zymo Research products is guaranteed. If you should be dissatisfied with this product, please call 1-888-882-9682.

Note - Integrity of kit components is guaranteed for up to one year from date of purchase. Reagents are routinely tested on a lot-to-lot basis to ensure they provide maximal performance and reliability.

#### **Specifications**

- DNA Purity High-quality, purified DNA is eluted with water and is especially well suited for sequencing, ligation reactions, and restriction endonuclease digestions.
- DNA Size Limits From 50 bp to 23 kb.
- **DNA Recovery** Typically, up to 5 μg total DNA can be eluted into as little as 10 μl water per sample. For DNA 50 bp to 10 kb, the recovery is 70-90%. For DNA 11 kb to 23 kb the recovery is 50-70%.
- **Sample Sources** DNA from PCR, restriction endonuclease digestions, plasmid preparations, kinase reactions, etc.
- **Product Detergent Tolerance** ≤5% Triton X-100, ≤5% Tween-20, ≤5% Sarkosyl, ≤0.1% SDS.

Note - ™ Trademarks of Zymo Research Corporation. This product is for research use only and should only be used by trained professionals. Some reagents included with this kit are irritants. Wear protective gloves and eye protection. Follow the safety guidelines and rules enacted by your research institution or facility.


<sup>\*</sup> Ethanol must be added prior to use as indicated on **DNA Wash Buffer** label.

#### **Product Description**

Zymo Research's **ZR-96 DNA Clean & Concentrator-5™ (ZR-96 DCC™)** provides a hassle-free method for the rapid, large-scale (96 sample) purification and concentration of high-quality DNA from PCR samples, endonuclease digestions, or DNA from cell lysates. Simply add the specially formulated **DNA Binding Buffer** to your samples and transfer to the wells of the supplied **Zymo-Spin I-96 Plate™**. There is no need for organic denaturants or chloroform. Instead, the product features Fast-Spin column technology to yield high quality, purified DNA in just minutes. DNA purified using the **ZR-96 DCC™** is suitable for nucleotide sequencing, array analysis, PCR, nucleotide blotting, and restriction endonuclease digestion procedures.

The ZR-96 DCC<sup>™</sup> employs a single-buffer system that allows for efficient DNA adsorption of up to 96 samples onto the matrix of the supplied Zymo-Spin I-96 Plate<sup>™</sup>. The DNA is washed twice then eluted with a small volume of water into a 96-well Elution Plate. The entire DNA purification/concentration procedure typically takes about 20 minutes. The figure below shows a schematic highlighting the Zymo-Spin I-96 Plate<sup>™</sup> design.

For Technical Assistance, please contact those at Zymo Research's Technical Department at 1-888-882-9682 or E-mail to tech@zymoresearch.com.



#### **Reagent Preparation**

 Before starting, add 96 ml 100% ethanol to the 24 ml DNA Wash Buffer concentrate (192 ml 100% ethanol to the 48 ml DNA Wash Buffer concentrate) to obtain the final DNA Wash Buffer solution. Note: Alternatively, add 104 ml and 208 ml of 95% ethanol to the 24 ml and 48 ml sizes of the **DNA Wash Buffer** concentrate, respectively.

#### **Protocol**

- 1. Add two volumes of **DNA Binding Buffer** to each volume of DNA sample. (e.g., 300 μl **DNA Binding Buffer** to 150 μl DNA sample). Transfer sample mixtures to the wells of a **Zymo-Spin I-96 Plate**<sup>™</sup> mounted on a **Collection Plate**.
  - Alternatively, add two volumes of **DNA Binding Buffer** to each volume of DNA sample directly in the wells of the **Zymo-Spin I-96 Plate™** mounted on a **Collection Plate**. Ensure proper mixing by pipetting up and down a few times.
- 2. Centrifuge at 2,500-8,000 rpm (minimum 1000 x g) for 5 minutes until sample mixtures have been completely filtered. Discard the flow-through.
- 3. Add 300 µl **Wash Buffer** to each well of the **Zymo-Spin I-96 Plate™**. Centrifuge at 2,500-8,000 rpm for 5 minutes. Repeat wash step. (Alternatively, one wash can be performed using 600 µl **Wash Buffer**).
- Add 10-15 μl water directly to the column matrix in each well. Transfer the Zymo-Spin I-96 Plate<sup>™</sup> onto an Elution Plate and centrifuge at 2,500-8,000 rpm for 5 minutes to elute the DNA.

Ultra-pure DNA in water is now ready for use.

Note: Add 100 μl DNA Binding Buffer to all samples ≤50 μl.

Note: For ssDNA (e.g., single stranded cDNA), add 7 volumes to each volume of sample. For example, 350 µl DNA Binding Buffer to a 50 µl sample.

Note: The sample capacity of each well of the Zymo-Spin I-96 Plate™ is approximately 1.1 ml. Therefore, it may be necessary to load and spin the plate multiple times if a sample has a volume larger than 1.1 ml.

Note: Elution of DNA from the plate is dependent on pH and temperature. If water is used, make sure the pH is >5.0. Waiting 1 minute after adding water to the plate may improve the yield of larger (> 6 kb) DNA. For even larger DNA (> 10 kb) the total yield may be improved by eluting the DNA with 60-70°C water.

Note: TE buffer (10 mM Tris-HCl, 1 mM EDTA, pH 8.0) or modified TE (10 mM Tris, 0.1 mM EDTA, pH 8.5) can also be used for elution if required by your experiment.

## **Ordering Information**

Product Description	Catalog No.	Kit Size
ZR-96 DNA Clean & Concentrator-5™	D4023	(2) 96-well plates
ZR-96 DNA Clean & Concentrator-5™	D4024	(4) 96-well plates

For Individual Sale	Catalog No.	Amount
DNA Binding Buffer	D4004-1-L	100 ml
DNA Wash Buffer (concentrate)	D4003-2-24 D4003-2-48	24 ml 48 ml
Zymo-Spin I-96™ Filtration Plates	C2004	2 plates
Collection Plates	C2002	2 plates
Elution Plates	C2003	2 plates

## Popular DNA Purification & Analysis Products from Zymo

Product	Description	Kit Size	Cat No. (Columr Format)
DNA Clean & Concentrator-5 Kit™	Clean and concentrate DNA from any reaction or "crude" preparation in 2 min. A 6 $\mu$ l minimum elution volume allows for highly concentrated DNA. Designed for samples containing up to 5 $\mu$ g of DNA.	50 Preps 200 Preps 50 Preps 200 Preps	D4003 (uncapped) D4004 (uncapped) D4013 (capped) D4014 (capped)
ZR-96 DNA Clean & Concentrator-5 Kit™	Quick (15 minute), high-output recovery of pure DNA from PCR, endonuclease digestions, plasmid preparations, etc. 10-15 μl minimum elution volume allows for highly concentrated DNA. Designed for samples containing up to 5 μg of DNA.	2x96 Preps 4x96 Preps	D4023 D4024
DNA Clean & Concentrator-25 Kit™	Clean and concentrate DNA from any reaction in 2 min. 25 µl minimum elution volume allows for highly concentrated DNA. Designed for samples containing up to 25 µg of DNA.	50 Preps 200 Preps	D4005 D4006
Zymoclean Gel DNA Recovery Kit™	Purify DNA from agarose gels in as little as 15 min. DNA sizes range from 75 bp to 23 Kb. 6 $\mu$ l minimal elution volume (70-95% recovery rate).	50 Preps 200 Preps	D4001 D4002
ZR-96 Zymoclean Gel DNA Recovery Kit™	High-output DNA purification from agarose gels in as little as 15 min. DNA sizes range from 75 bp to 23 Kb.	2x96 Preps 4x96 Preps	D4021 D4022
EZ DNA Methylation Kit™	Streamlined kit for the conversion of unmethylated cytosines in DNA to uracil via the <a href="mailto:chemical-denaturation">chemical-denaturation</a> of DNA and a specially designed CT Conversion Reagent™. DNA is then desulphonated and subsequently cleaned using Fast-Spin column technology. No messy precipitations. Ultra-pure recovered DNA can be used for Methylation Specific PCR (MSP) and bisulfite sequencing applications.	50 Rxns 200 Rxns 2x96 Rxns	D5001 D5002 D5003
EZ DNA Methylation-Gold Kit™	Streamlined kit for the conversion of unmethylated cytosines in DNA to uracil via <a href="heat-denaturation">heat-denaturation</a> of DNA and a specially designed CT Conversion Reagent M. DNA is then desulphonated and subsequently cleaned using Fast-Spin column technology. No messy precipitations. Ultra-pure recovered DNA can be used for Methylation Specific PCR (MSP) and bisulfite sequencing applications.	50 Rxns 200 Rxns 2x96 Rxns	D5005 D5006 D5007
Pinpoint Slide DNA Isolation System™	Recover genomic DNA from paraffin-embedded or fresh tissue sections for PCR. Ideal for isolating DNA from clinical tissue samples.	50 Preps	D3001
ZR Genomic DNA I Kit™	Genomic DNA isolation from whole blood, tissue culture cells, solid tissue and liquid samples. (Silica bead format is scalable to fit your requirements).	100 Preps 400 Preps	D3004 D3005
ZR Genomic DNA II Kit™	Genomic DNA purification from whole blood, tissue culture cells, solid tissue and liquid samples. No requirement for beads or phenol chloroform.	50 Preps 200 Preps	D3006 D3007
ZR-96 Genomic DNA Kit™	High-output genomic DNA purification from whole blood, tissue culture cells, solid tissue and liquid samples. No requirement for beads or phenol chloroform.	2x96 Preps 4x96 Preps	D3010 D3011
Zymoprep I™	Efficient purification method for yeast plasmid DNA: Works well for library plasmid recovery from yeast two-hybrid screens.	100 Preps	D2001
Zymoprep II™	Efficient purification method for yeast plasmid DNA: Works well for library plasmid recovery from yeast two-hybrid screens.	50 Preps	D2004
Zyppy Plasmid Miniprep I Kit™	High-purity plasmid DNA purification in minutes: (alkaline lysis/Fast-Spin column format for low elution volume 40 $\mu\text{l}).$	100 Preps 400 Preps	D4015 D4016
Zyppy Plasmid Miniprep II Kit™	High-purity plasmid DNA purification in minutes: (alkaline lysis/Fast-Spin column format for low elution volume 25 $\mu$ l).	100 Preps 400 Preps	D4019 D4020
ZR Viral DNA Kit™	Isolation of viral DNA from cell-free body fluids or sample mixtures containing cells at concentrations less than $10^5$ cells per ml.	50 Preps 200 Preps	D3015 D3016
ZR-96 Viral DNA Kit™	High-output (96-well) isolation of viral DNA from cell-free body fluids or sample mixtures containing cells at concentrations less than 10 <sup>5</sup> cells per ml.	2x96 Preps 4x96 Preps	D3017 D3018
* D !!	""		

<sup>\*</sup>Bulk quantities are available upon request. Please contact: <u>busdev@zymoresearch.com</u> or call 1-888-882-9682 for assistance.